


6.1 Area Between Two Curves



Area =

ex: Find the area enclosed by the given curves.


a) $y = e^x$, $y = x$, $x = 0$, $x = 1$

ex: Find the area enclosed by the given curves.

b) $y = \tan x$, $y = 2 \cos x$, $0 \leq x \leq \frac{\pi}{4}$

ex: Find the area enclosed by the given curves.

$$\text{c) } f(x) = 2 - x^2, \quad g(x) = x$$




(by hand) Area =

OR

(calculator) Area =


ex: Find the area enclosed by the given curves.

 d) $f(x) = 3x^3 - x^2 - 10x$, $g(x) = -x^2 + x$

ex: Find the area enclosed by the given curves.



$$\text{e) } y = \frac{1}{1+x^2}, \quad y = \frac{x^2}{2}$$



Area =

ex: Find the area enclosed by the given curves.



$$f) \quad x = 4 - y^2, \quad x = y - 2$$



ex:

a) Find the area bounded by

$$y = x, \quad y = -x^3 + 2, \quad y\text{-axis}$$



ex:

b) Find the area bounded by

$$y = x, \quad y = -x^3 + 2, \quad \text{x-axis}$$

ex: The line $x=p$ divides the area bounded by $y = \sin x$ on $0 \leq x \leq \pi$ into 2 regions such that the area from $0 \leq x \leq p$ exceeds the area from $p \leq x \leq \pi$ by 1 square unit. Find p .

5.1, 5.3, 6.1 Extra Practice

1.

In which of the following models is $\frac{dy}{dt}$ directly proportional to y ?

I. $y = e^{kt} + C$

II. $y = Ce^{kt}$

III. $y = 28^{kt}$

IV. $y = 3\left(\frac{1}{2}\right)^{3t+1}$

(A) I only (B) II only (C) I and II only (D) II and III only (E) II, III, and IV (F) all of them


5.1, 5.3, 6.1 Extra Practice

2.

(Calculator permitted) Let R be the shaded region enclosed by the graphs of $y = e^{-x^2}$, $y = -\sin(3x)$, and the y -axis as shown at right.

Which of the following gives the approximate area of the region R ?

- (A) 1.139 (B) 1.445 (C) 1.869 (D) 2.114 (E) 2.340



5.1, 5.3, 6.1 Extra Practice

3.

If $\frac{dy}{dt} = -2y$ and if $y = 1$ when $t = 0$, what is the value of t for which $y = \frac{1}{2}$?

- (A) $-\frac{1}{2}\ln 2$ (B) $-\frac{1}{4}$ (C) $\frac{1}{2}\ln 2$ (D) $\frac{\sqrt{2}}{2}$ (E) $\ln 2$

5.1, 5.3, 6.1 Extra Practice

4.

(Calculator permitted) Population y grows according to the equation $\frac{dy}{dt} = ky$, where k is a constant and t is measured in years. If the population doubles every 10 years, then the value of k is

- (A) 0.069 (B) 0.200 (C) 0.301 (D) 3.322 (E) 5.000

5.1, 5.3, 6.1 Extra Practice

5.

Let f and g be the functions given by $f(x) = e^x$ and $g(x) = \frac{1}{x}$. Which of the following gives the area of the region enclosed by the graphs of f and g between $x = 1$ and $x = 2$?

- (A) $e^2 - e - \ln 2$ (B) $\ln 2 - e^2 + e$ (C) $e^2 - \frac{1}{2}$ (D) $e^2 - e - \frac{1}{2}$ (E) $\frac{1}{e} - \ln 2$

5.1, 5.3, 6.1 Extra Practice

6.

Let R be the region in the first quadrant bounded by the x -axis, the graph of $x = y^2 + 2$, and the line $x = 4$. Which of the following integrals gives the area of R ?

(A) $\int_0^{\sqrt{2}} [4 - (y^2 + 2)] dy$ (B) $\int_0^{\sqrt{2}} [(y^2 + 2) - 4] dy$ (C) $\int_{-\sqrt{2}}^{\sqrt{2}} [4 - (y^2 + 2)] dy$

(D) $\int_{-\sqrt{2}}^{\sqrt{2}} [(y^2 + 2) - 4] dy$ (E) $\int_2^4 [4 - (y^2 + 2)] dy$

5.1, 5.3, 6.1 Extra Practice


7.

Which of the following gives the area of the region between the graphs of $y = x^2$ and $y = -x$ from $x = 0$ to $x = 3$.

- (A) 2 (B) $\frac{9}{2}$ (C) $\frac{13}{2}$ (D) 13 (E) $\frac{27}{2}$

5.1, 5.3, 6.1 Extra Practice

8.



The slope field for a certain differential equation is shown above. Which of the following could be a solution to the differential equation with the initial condition $y(0) = 1$?

- (A) $y = \cos x$
- (B) $y = 1 - x^2$
- (C) $y = e^x$
- (D) $y = \sqrt{1 - x^2}$
- (E) $y = \frac{1}{1 + x^2}$

5.1, 5.3, 6.1 Extra Practice

9.

Which of the following is the solution to the differential equation $\frac{dy}{dx} = e^{y+x}$ with the initial condition $y(0) = -\ln 4$?

- (A) $y = -x - \ln 4$
- (B) $y = x - \ln 4$
- (C) $y = -\ln(-e^x + 5)$
- (D) $y = -\ln(e^x + 3)$
- (E) $y = \ln(e^x + 3)$

5.1, 5.3, 6.1 Extra Practice

10.

If $P(t)$ is the size of a population at time t , which of the following differential equations describes linear growth in the size of the population?

(A) $\frac{dP}{dt} = 200$

(B) $\frac{dP}{dt} = 200t$

(C) $\frac{dP}{dt} = 100t^2$

(D) $\frac{dP}{dt} = 200P$

(E) $\frac{dP}{dt} = 100P^2$

5.1, 5.3, 6.1 Extra Practice

11.

What is the area of the region in the first quadrant bounded by the graph of $y = e^{x/2}$ and the line $x = 2$?

- (A) $2e - 2$ (B) $2e$ (C) $\frac{e}{2} - 1$ (D) $\frac{e - 1}{2}$ (E) $e - 1$